

MODEL 210
MY 2000

Passenger Cars MY 2000

Model 210



System is also known as "Active Service System (ASSYST)" in the Workshop Information System (WIS)


Customer: _____

Repair order number: _____

Confirm work has been performed by signing below

Technician: _____


Determine need for type of service:




Determining need for A-Service or B-Service:

If the distance driven since the last "B-Service" is **less (<)** than 14,000 miles/22 000 km (as determined from Service Booklet or dealer records), an "A-Service" should be performed.



If the distance driven since the last "B- Service" is **greater (≥)** than 14,000 miles/22 000 km (as determined from Service Booklet or dealer records), a "B-Service" should be performed.



Special flat rates apply for procedures marked with  **AP**.















Determine "Additional work" needed, if any:

(check if applicable)  See last page for "Additional work".

at approx. every:	50,000 mi/80,000 km	<input type="checkbox"/>	every:	service A/B	<input type="checkbox"/>
	60,000 mi/96,000 km or 4 years	<input type="checkbox"/>		2 years	<input type="checkbox"/>
	60,000 mi/96,000 km or 5 years	<input type="checkbox"/>		3 years	<input type="checkbox"/>
				Spark plugs	<input type="checkbox"/>

completed <input checked="" type="checkbox"/>	A-Service <input type="checkbox"/>	B-Service <input type="checkbox"/>	Not O.K. <input type="checkbox"/>
↓	↓	↓	↓
<input type="checkbox"/>		<input checked="" type="checkbox"/>	<input type="checkbox"/> AP42.00-P-4290BA
Brake test on dynamometer or test drive. Check parking brake and run in according to specifications (on vehicles with 4MATIC, ASR, ETS, ESP observe instructions in Maintenance Manual!). Enter brake values in N:			
	front	rear	Parking brake
left	_____	_____	_____
right	_____	_____	_____
 Vehicle passenger compartment			
Function check			
<input type="checkbox"/>	Horn, headlamp flasher, hazard flashers, turn signals	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	Warning/indicator lamps, illumination and interior lighting	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	Exterior lighting incl. headlamps	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	Windshield wipers, rear window wiper, windshield washer system	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	Headlamp cleaning system	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	Check seat belts for damage and proper function	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	Reset FSS counter in instrument cluster	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	Replace dust filter	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Check			
<input type="checkbox"/>	If so equipped: Battery, wet cell Check acid level, replenish	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	Additionally check battery using "Midtronics MCR 717" Tester. Attach Midtronics MCR 717 Test Report print out here.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	If so equipped: Battery, AGM/VRLA with black housing Check battery condition using "Midtronics MCR 717" Tester. Attach Midtronics MCR 717 Test Report print out here.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
 Wheels, brakes			
<input type="checkbox"/>	Remove and reinstall wheels, rotate if necessary, does not apply for vehicles with different tire sizes front/rear	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	Check brake pads for lining thickness front/rear	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	Check condition of brake discs front and rear	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	Check thickness of brake pads by removing and reinstalling right front wheel	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	Check condition of brake discs by removing and reinstalling right front wheel	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

completed <input checked="" type="checkbox"/>	A-Service <input type="checkbox"/>	B-Service <input type="checkbox"/>	Not O.K.
↓	↓	↓	↓
<input type="checkbox"/> Inspect tires for damage and condition	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/> AP40.10-P-4051Z
<input type="checkbox"/> Measure tread depth, enter in mm:	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/> AP40.10-P-4051Z
LF RF LR RR outside _____ center _____ inside _____			
<input type="checkbox"/> Correct tire inflation pressure	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Vehicle under body			
			
<input type="checkbox"/> Visual check for Leakage - Major components Chafe marks, line routing, components. In the event of leakage, determine cause and perform repair via separate work order.		<input checked="" type="checkbox"/>	<input type="checkbox"/> AP00.20-P-0053BA
<input type="checkbox"/> Check condition of front axle ball joints		<input checked="" type="checkbox"/>	<input type="checkbox"/> AP33.20-P-3353BA
<input type="checkbox"/> Check condition of steering's mechanical components		<input checked="" type="checkbox"/>	<input type="checkbox"/> AP46.00-P-4653F
Engine compartment			
			
<input type="checkbox"/> Visually check Leakage - Major components Chafe marks, line routing, components. In the event of leakage, determine cause and perform repair via separate work order.		<input checked="" type="checkbox"/>	<input type="checkbox"/> AP00.20-P-0053BA
<input type="checkbox"/> Engine oil and filter change	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
Engine 112			AP18.00-P-0101AE
Engine 113			AP18.00-P-0101AF
Check and correct fluid level			
<input type="checkbox"/> Engine cooling system, anti-freeze and corrosion protection _____ °C	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/> AP20.00-P-2010Z
<input type="checkbox"/> Level control (wagon only)		<input checked="" type="checkbox"/>	<input type="checkbox"/> AP32.30-P-3211BB
<input type="checkbox"/> Brake system	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/> AP42.10-P-4210Z
<input type="checkbox"/> Power steering		<input checked="" type="checkbox"/>	<input type="checkbox"/> AP46.00-P-4611BB
<input type="checkbox"/> AC refrigerant level		<input checked="" type="checkbox"/>	<input type="checkbox"/>
In the event of leakage, determine cause and perform repair via separate work order.			
<input type="checkbox"/> Windshield washer	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	AP82.35-P-8210Z
<input type="checkbox"/> Check condition of poly-V-belt		<input checked="" type="checkbox"/>	<input type="checkbox"/> AP13.22-P-1351Z
<input type="checkbox"/> Lubricate throttle linkage, check function and condition		<input checked="" type="checkbox"/>	<input type="checkbox"/> AP30.10-P-3022ZA
<input type="checkbox"/> Lubricate catch, safety catch and hinges on engine hood.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	AP88.40-P-8821BA

completed <input checked="" type="checkbox"/> ↓	A-Service <input type="checkbox"/> ↓	<input type="radio"/> B-Service ↓	Not O.K. ↓
 Front, rear of vehicle			
<input type="checkbox"/>	Inspect headlamp range adjustment system (not with xenon headlamps)	<input checked="" type="radio"/>	<input type="checkbox"/>
<input type="checkbox"/>	Inspect headlamp setting, adjust to correct setting	<input checked="" type="radio"/>	<input type="checkbox"/> AP82.10-P-8260A
<input type="checkbox"/>	Replace windshield wiper rubber inserts	<input checked="" type="radio"/>	AP82.30-P-8253G
<input type="checkbox"/>	Inspect condition of wiper blade for rear window	<input checked="" type="radio"/>	<input type="checkbox"/>
<input type="checkbox"/>	Inspect fluid level of rear window washer, correct	<input checked="" type="radio"/>	AP82.35-P-8210Z
 Trunk			
<input type="checkbox"/>	Correct tire inflation pressure in spare tire	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Additional Work			
completed <input checked="" type="checkbox"/> ↓	Perform:	yes ↓	Not O.K. ↓
at each Service (A and B)			
 AP	<input type="checkbox"/> Replace dust filter	<input type="checkbox"/>	<input type="checkbox"/> AP83.00-P-8381S
At approx. every 50,000 mi/80,000 km:			
 AP	<input type="checkbox"/> Check condition of driveshaft flex discs	<input type="checkbox"/>	<input type="checkbox"/> AP41.10-P-4152Z
At approx. every 60,000 mi/96,000 km or 4 years:			
 AP	<input type="checkbox"/> Replace air cleaner filter element	<input type="checkbox"/>	
 AP	<input type="checkbox"/> Check condition of fuel filler nozzle seal in filler neck, replace if damaged	<input type="checkbox"/>	<input type="checkbox"/> AP47.10-P-4751A
At approx. every 60,000 mi/96,000 km or 5 years:			
 AP	<input type="checkbox"/> Replace fuel filter	<input type="checkbox"/>	AP47.20-P-0780DC
 AP	<input type="checkbox"/> Replace activated charcoal filter	<input type="checkbox"/>	AP83.00-P-8382F
Every 2 years			
 AP	<input type="checkbox"/> Replace brake fluid	<input type="checkbox"/>	AP42.00-P-4280BA
 AP	<input type="checkbox"/> Check body for paint damage by Service Advisor	<input type="checkbox"/>	<input type="checkbox"/> AP98.00-P-9850BA
 AP	<input type="checkbox"/> Check chassis and supporting body parts for damage and corrosion by Service Advisor	<input type="checkbox"/>	<input type="checkbox"/> AP00.20-P-0090BA
Every 3 years			
 AP	<input type="checkbox"/> Replace coolant	<input type="checkbox"/>	AP20.00-P-2080A
 AP	<input type="checkbox"/> Sliding/pop-up roof: clean and grease sliding rails and sliders	<input type="checkbox"/>	AP77.20-P-7731A
Replace spark plugs			
 AP	<input type="checkbox"/> At approx. every 100,000 mi/160,000 km or 5 years	<input type="checkbox"/>	AP15.10-P-1580A